

# CoCOA - OR

COORDINATED COVID19 ACTIVATION FOR OR

## PREPARE ROOM

- IDENTIFY NEGATIVE PRESSURE OR
- REMOVE UNNECESSARY EQUIPMENT
- REMOVE OMNICELL
- BRING IN ONLY EQUIP NEEDED: AIRWAY/ DRUGS /LINES
- APPLY ISOLATION SIGNAGE/SINGLE DOOR
- ENSURE HEPA FILTERS ATTACHED TO VENT INSPIRATORY/EXPIRATORY LIMBS
- GET AIRBORNE PPE + LIDDED GARBAGE

## PREPARE PERSONEL

- ID CASE ANESTHESIA
- ID SECOND ANESTHESIA FOR RELIEF/ INTUBATION
- ID WHO WILL HELP TRANSPORT
- ID WHO WILL BE IN ROOM DURING INTUBATION
- ID RUNNER OUTSIDE OR/DRUG ACCESS PERSON FOR ANESTHESIA
- GET ANESTHESIA VOICERA

## GET READY

- PATIENT HX /DISCUSS WITH SURGEON
- BRIEF SURGICAL TEAM ON PRECAUTION LEVEL
- REFER TO COVID INTUBATION PROTOCOL
  - SAFE SPACE CHECK
  - DON KIT AND MAKE READY

## GET PATIENT

EITHER RECEIVED FROM WARD/ EMERG DIRECT TO OR (LIKE OUR E1s –NO PACU!!)

OR

OR TEAM IN FULL AIRBORNE PPE TO COLLECT FROM ICU/EMERG (REMEMBER O<sub>2</sub>>6L/MIN POSSIBLE AEROSOLIZING)

## INTUBATE

- USE COVID PROTOCOL
- 2 ANESTH TO MINIMIZE MACHINE CONTAMINATION
- MINIMIZE PEOPLE IN ROOM DURING INTUBATION
- ENSURE FILTER DIRECTLY ATTACHED TO ETT

OR

- AIRWAY PRECAUTIONS FOR ENTIRE PROCEDURE
- ANESTH STAFF RELIEF IN HOUSE
- (SUGGEST ROTATING Q2HOURLY)
- IMMEDIATELY AVAILABLE RUNNER TO PASS EQUIPMENT INTO ROOM DEDICATED TO ANESTHESIA

## POST SURGICAL CLOSURE

- ALERT ICU OR PACU NURSE
- STANDARD OR DEBRIEF
- ANESTHETIC RECORD: ? WIPE AND PLACE IN BAG. WAIT 20MIN THEN WIPE BAG AND PLACE IN SECOND BAG 2m FROM PATIENT
- WIPE NONDISPOSABLES AND BAG
- DISCARD DISPOSABLES

TRANSFER TO ICU WITH AIRBORNE PPE

Or

EXTUBATE IN OR WITH AIRBORNE PPE:

- MINIMIZE PEOPLE IN ROOM
- OUTSIDE RUNNER IMMEDIATELY AVAILABLE DEDICATED FOR ANESTHESIA
- AIRBORNE PPE 1H POST EXTUBAT
- PACU NURSE WILL DON AIRBORNE PRECAUTIONS AND RECOVER IN OR UNTIL THEN
- PORTER TRANSPORT USING DROPLETS

**BUDDY DOFFING PPE  
LOOK AT POST COVID CHECKLIST  
DEBRIEF/CONCERN  
SHOWER AND CHANGE**

**CLEANERS:**

- WAIT 30mins BEFORE ENTERING OR
- PPE DROPLET PRECAUTIONS

# SPECIAL SENARIOS

## LEAD

- IF NEED TO WEAR LEAD  
AWAITING NURSING  
PROTOCOLS
- SEEMS REASONABLE TO DON  
LEAD PRIOR TO PPE
- HAVE SPECIAL RACK  
AVAILABLE FOR POST WITH  
CONTAMINATED SIGNAGE
- REMOVE AS CLEANLY AS  
POSSIBLE
- HAVE CLEANERS DISINFECT  
WITH CAVI WIPES OR  
WHATEVER IS RECOMMENDED

